34120


## Huachuca City Community Health Profile

The Arizona Department of Health Services, Division of Public Health collaborated and developed Community Health Profiles for 87 incorporated towns and cities in Arizona.

The purpose of the Community Health Profiles is to aggregate various data from different agencies, especially those programs within the Arizona Department of Health Services to provide a user-friendly community health profile for communities in Arizona.

The Community Health Profiles is in the initial phase of a long-term project to improve the accessibility of health-related data to communities and is a product of an Arizona Department of Health Services workgroup. Input for the indicators on this project has also been sought from community organizations.

The Community Health Profiles can be used by a variety of individuals, groups, and organizations to address a number of health issues. One of the goals of the project was to



provide the data in groupings (using headings such as demographics, birth measures, prevention measures, etc.) to highlight data that would facilitate health program planning, implementation, and improvement in communities.

## Likely users may include:

2000

- Community members and consumers of health care: individuals, families, and representatives of municipalities, neighborhoods and other geographical areas
- Elected state and local officials
- · Professionals in public health, clinical care, social services and others
- · Community advocates and organizers

The information contained in these community health profiles provide the basis for actions such as:

- 1. Determining the level of health that exists within the community
- 2. Discovering health strengths, problems or needs, and/or interventions to meet health needs that were not previously understood
- 3. Discover changes over time (trends) in population, health strengths and problems, and/or interventions
- 4. Make comparisons with other communities, the state or the nation
- 5. Examine relationships between health status and determinants of health (social environment, behavior, and health care resources)
- 6. Establish priorities among health problems and/or interventions
- 7. Evaluate interventions according to various dimensions such as relevance, adequacy, effectiveness, and impact
- 8. Initiate interventions directly or indirectly through others or in collaboration with others
- 9. Decide how to allocate resources among alternate interventions
- 10. Prepare and implement individual, institutional and community health improvement plans
- 11. Bring community members together around issues of interest; build coalitions and collaboration.

Because many of the indicators presented here are small numbers, the calculated rates are unstable. However, it is important for the community to have the information to make program decisions and/or investigate the issues presented here. Community Health Profiles are updated and published annually.

For more information about this effort please contact Patricia Tarango at (602) 542-1219. To receive this document in alternative format contact Rodney Cluff at (602) 542-2998.

Page 1 of 8

DEMOGRAPHICS	Huachuca City	COCHISE	ARIZONA	NATIONAL
POPULATION <sup>1</sup>	. 1,751	117,755	5,130,632	281,421,906
<1	,	1,679	77,421	3,805,648
1-4	_	6,287	304,965	15,370,150
5-14			•	
		17,573	768,080	41,077,577
15-24		16,418	730,582	39,183,891
25-34		13,981	742,665	39,891,724
35-44		16,597	768,804	45,148,527
45-54		15,373	627,904	37,677,952
55-64		12,482	442,372	24,274,684
65-74		10,187	363,841	18,390,986
75-84		5,670	235,473	12,361,180
85+		1,508	68,525	4,239,587
% <1		1.4 %	1.5 %	1.4
% 1-4		5.3 %	5.9 %	5.5
% 5-14		14.9 %	15.0 %	14.6
% 15-24	. 14.0 %	13.9 %	14.2 %	13.9
% 25-34	. 10.2 %	11.9 %	14.5 %	14.2
% 35-44	. 15.3 %	14.1 %	15.0 %	16.0
% 45-54	. 15.0 %	13.1 %	12.2 %	13.4
% 55-64	. 9.7 %	10.6 %	8.6 %	8.6
% 65-74	. 7.9 %	8.7 %	7.1 %	6.5
% 75-84	. 4.1 %	4.8 %	4.6 %	4.4
% 85+	0.7 %	1.3 %	1.3 %	1.5
Race				
White	. 80.3 %	79.8 %	77.9 %	77.1
American Indian	. 5.0 %	2.1 %	5.7 %	1.5
Black	. 7.8 %	5.3 %	3.6 %	12.9
Asian/Pacific Islander	. 3.0 %	3.0 %	2.6 %	4.5
Other		9.8 %	10.2 %	6.6
Ethnicity				
Hispanic	. 16.3 %	30.7 %	25.3 %	12.5
Gender				
Female	. 51.8 %	49.6 %	50.1 %	50.9
Male		50.4 %	49.9 %	49.1
Population Density		19.1	45.2	79.6

<sup>1</sup> Population and Ethnicity, 2000 Census Summary File 1 (SF1). Hispanics are an ethnic group. Racial groups add to 100%. Races alone or in combination with one or more other races data used. Population Density = Population Year 2000 / Square Miles, 2000 Census SF1.

2000 Page 2 of 8

	Huachuca City	COCHISE	ARIZONA	NATIONAL
ADDITIONAL DEMOGRAPHICS				
INCOME <sup>2</sup>				
Population under 100% of FPL	19.3 %	17.7 %	13.9 %	12.4 %
Population under 125% of FPL	23.6 %	23.2 %	18.7 %	16.5 %
Population under 185% of FPL	39.8 %	37.8 %	30.8 %	27.1 %
Population under 200% of FPL	42.9 %	40.8 %	33.5 %	29.6 %
Median Household Income	\$26,400	\$34,200	\$44,300	\$42,000
Population >25 yrs without H.S. diploma	17.8 %	20.5 %	19.0 %	19.6 %
INSURANCE 3				
Medicare Recipients	199	14,700	572,487	38,782,000
% of Medicare Recipients	11.4 %	12.5 %	11.2 %	13.8 %
AHCCCS Enrollees	234	16,053	576,083	NC
% of AHCCCS Enrollees	13.3 %	13.6 %	11.2 %	NC
KidsCare Enrollees	19	884	41,257	NC
% of KidsCare Enrollees	3.4 %	2.6 %	2.7 %	NC
Adults without medical insurance	NA	NA	17.1 %	13.8 %
Adults without dental insurance	NA	NA	42.1 %	36.7 %
Children without dental insurance	23.0 %	NA	24.0 %	NA
Percent Unemployed	6.3 %	4.7 %	3.7 %	5.3 %
Food Stamp Recipients	393	NA	260,895	6,409,783
Children WIC Recipients	0	5,031	150,132	3,551,093
Women WIC Recipients	0	4,451	139,916	1,748,792
Children's Rehabilitative Services Participan	ts 17	382	16,153	NA

NC - Not Comparable

NA - Not Available

<sup>2</sup> Percent of 2000 population under Federal Poverty Level (FPL), Census 2000 SF3, Median Household Income (rounded to nearest

Department of Health Services, Office of Oral Health, Arizona School Dental Survey, "Every Tooth Counts," 1999-2003, Children in public schools in grades Kindergarten through Third Grade. Percent of Work Force Unemployed, Arizona, Arizona Department of Economic Security, 2000; National, Census 2000 Supplementary Survey. Food Stamp recipients, City & State, Arizona Department of Economic Security (DES), June 2000; National Census 2000 Supplementary Survey. Women, Infants and Children (WIC), Arizona, Arizona Department of Economic Security, 2000; National, U.S. Department of Agriculture, Food and Nutrition Service, FY 2000. Children Rehabilitative Services Participants, count of eligible members, Arizona Department of Health Services, Office for Children with Special Health Care Needs, 2000.

2000 Page 3 of 8

hundred), percent of 2000 population 25 years of age or older with less than a High School Diploma, 2000 Census, Summary File 3 (SF3).

3 Medicare Recipients, age >=65: Centers for Medicare & Medicaid Services, 07/01/00, percent of 2000 population on Medicare.

AHCCCS enrollees, percent of 2000 population on AHCCCS. KidsCare Enrollees, percent of 0-19 2000 population, Arizona Health Care Cost Containment System (AHCCCS), 12/31/2000. Adults without medical and dental insurance, Behavioral Risk Factors survey, percent of respondents in the affirmative, Arizona Department of Health Services, Office of Epidemiology and Statistics, 2000. Children without dental insurance, Arizona

	Huachuca City	COCHISE	ARIZONA	NATIONAL
COMMUNITY RESOURCES				
PERSONNEL 4				
Primary Care Physicians	. 0	84	4,507	NA
Dentists	. 0	57	3,386	NA
Mental Health Providers	. 0	7	490	NA
Nurse Practitioners	. 0	36	1,707	NA
Physician Assistants	. 0	19	657	NA
Certified Nurse Midwives	. 0	0	146	NA
DESIGNATIONS 5				
Is community in a PC HPSA?	. No			
Is community in a Dental HPSA?	. No			
Is community in a Mental HPSA?	. Not De	signated		
Is community in a fed MUA or MUP?	. Yes			
Is community in an AzMUA?	. No			
Is community designated as Rural?	. Com	munity designated	as "Rural" per A.R.S	. 36-2171
FACILITIES 6				
Sliding Fee Scale clinics in the area	. 0	11	145	NC
School Based clinics in the area	. 0	0	64	NC
NonFederal Hospitals	. 0	5	79	NA
Hospital bed capacity	. 0	206	11,157	NA

NC - Not Comparable

NA - Not Available

2000 Page 4 of 8

<sup>4</sup> Primary Care Physicians, active Medical Doctors in Family Practice, General Practice, Gynecology, Internal Medicine, Obstetrics & Gynecology, Pediatrics, and all active Osteopathic Physicians. Medical Doctors and Physician Assistants, Arizona Board of Medical Examiners. Medical Doctors, Oct 2000, Physician Assistants, Feb 2000. Osteopathic Physicians, Arizona Board of Osteopathic Examiners, Oct 2000. Dentists, Arizona Board of Dental Examiners, Oct 2000. Nurse Practitioners, Arizona State Board of Nursing, Nov 2000, Certified Nurse Midwives, Arizona State Board of Nursing, December 2000.

<sup>&</sup>lt;sup>5</sup> Currently designated Primary Care (PC) Health Professional Shortage Area (HPSA), Dental or Mental HPSA designation, Federal Medically Underserved Area or Population (fed MUA or MUP), AzMUA, Arizona Medically Underserved Area: Arizona Department of Health Services, Office of Health Systems Development.

<sup>&</sup>lt;sup>6</sup> Current Sliding Fee Scale primary care clinics, (Per AAC Title 9, chapter 2, section R9-2-101: A "sliding fee schedule" means a document that sets forth the relationship between an individual's income and family size and states the percentage of the charges for health care services provided pursuant to A.R.S. 36-2907.06 for which the individual will be responsible). School Based/School Linked Health Clinics --Tobacco Tax School Based clinics, Office of Health Systems Development, ADHS. NonFederal Hospitals and Beds, Arizona Department of Health Services, Assurance & Licensure Services, Oct 2000.

Huachu	ca City	COCHISE	ARIZONA	NATIONAL
RTH MEASURES <sup>7</sup>				
Total Births	0	1,737	84,985	4,058,814
Birth rate per 1,000 population	.0	14.8	16.6	14.7
Fertility rate per 1,000 females aged 15-44 yrs	.0	77.5	78.4	67.5
Births to females aged 10-19 yrs	0	291	12,189	477,509
Birth rate per 1,000 females aged 10-19 yrs	.0	33.3	33.7	17.2
Births to females aged 15-19 yrs	0	282	11,973	468,990
Birth rate per 1,000 females aged 15-19 yrs	.0	66.0	67.6	48.
Births to females aged 15-17 yrs	0	110	4,284	157,209
Birth rate per 1,000 females aged 15-17 yrs	.0	41.5	41.1	27.4
Low-birthweight (LBW) babies (<2,500 grams)	0	114	5,975	307,030
LBW babies per 100 births	0	6.6	7.0	7.
Preterm babies (<37 weeks of gestation)	0	159	8,714	430,23
Preterm babies per 100 births	0	9.2	10.3	10.
No prenatal care during pregnancy	0	25	1,788	44,62
No prenatal care per 100 births		1.4	2.1	1.
No proported come in the det twinsector	0	E20	24 200	774,55
No prenatal care in the 1st trimester	0	528 30.4	21,288 25.0	19.
No prenatal care in 1st trimester per 100 births	· ·	30.4	25.0	13.
Five or more prenatal visits	0	1,556	75,536	3,737,34
Five or more prenatal visits per 100 births	0	89.6	88.9	92.
Payee for births: AHCCCS or IHS	Ū	789	37,566	N/
Births paid for by AHCCCS or IHS per 100 births	0	45.4	44.2	N/
Payee for births: private insurance	0	864	42,884	NA
Births paid by private insurance per 100 births		49.7	50.5	N/
Payee for births: self		59	2,702	N
Self-paid births per 100 births		3.4	3.2	N
Births to unwed mothers		662	33,438	1,347,04
Births to unwed mothers per 100 births		38.1	39.3	33.
Tobacco use during pregnancy		170	5,807	425,09
Tobacco use during pregnancy per 100 births		9.8	6.8	10.
NC - Not Comparable		NA - Not Available		

<sup>7</sup> Characteristics of Arizona mothers and newborns are based on information collected on birth certificates filed with the Arizona Department of Health Services, Office of Vital Records. The data for National are from "Births: Final Data for 2000," National Vital Statistics Reports, Volume 50, Number 5, February 12, 2002, Hyattsville, Maryland, National Center for Health Statistics. Population denominators for Arizona residents, used to calculate rates, are census enumerations for 2000 from the U.S. Census Bureau. Additional information on Arizona mothers and newborns is available online at <a href="http://www.hs.state.az.us/plan/">http://www.hs.state.az.us/plan/</a>.

2000 Page 5 of 8

	<b>Huachuca City</b>	COCHISE	ARIZONA	NATIONAL
EATH MEASURES <sup>8</sup>				
Total deaths, all ages	. 34	1,067	40,202	2,403,351
Deaths per 100,000 population	. 1,941.7	906.1	783.6	873.1
Deaths per 100,000 age-adjusted population	1,983.7	844.1	785.6	872.0
CAUSE-SPECIFIC MORTALITY				
Accidents (Unintentional injury) deaths		58	2,087	97,900
Death rate for accidents	. 288.0	46.7	41.1	35.5
Deaths from motor vehicle-related injuries	. 1	29	896	43,354
Death rate for motor vehicle-related injuries.	. 63.2	24.3	17.5	15.7
Alcohol-induced deaths	. 1	10	436	19,358
Death rate for alcohol-induced deaths	-	8.4	8.7	7.0
Intentional self-harm (suicide)		22	737	29,350
Suicide rate	. 47.5	18.6	14.6	10.6
Assault (homicide)	0	9	394	16,765
Homicide rate	0	6.7	7.6	6.1
Drug-induced deaths	0	7	334	19,698
Mortality rate for drug-induced deaths	0	6.2	6.8	7.1
Deaths from injury by firearms	1	21	785	28,663
Death rate for injury by firearms	. 47.5	17.8	15.3	10.4
Deaths from cardiovascular diseases	14	365	13,950	936,923
Death rate for cardiovascular diseases	849.0	291.5	276.1	339.9
Deaths from cancer	7	237	8,994	553,091
Death rate for cancer	. 348.2	173.9	170.4	201.0
Deaths from diabetes	1	37	993	69,301
Death rate for diabetes	51.5	27.3	19.0	25.2
AGE-SPECIFIC MORTALITY				
Number of infant deaths (<1 yr of age)	. 1	11	568	28,035
Number of infant deaths per 1,000 births	0	6.3	6.7	6.9
Number of deaths by age group:				
1-4		2	112	4,979
5-14		3	159	7,413
15-24	. 0	14	670	31,307
NC - Not Con	nparable	NA - Not Available		

<sup>8</sup> These mortality rates are per 100,000 population age-adjusted to the 2000 U.S. standard. Age-adjusted mortality rates are better indicators than crude (unadjusted) death rates when comparing mortality across geographic areas or between subgroups of population that have different age compositions. Technical information on computing age-adjusted mortality rates is available online at <a href="http://www.hs.state.az.us/plan/2001ahs/source01.pdf">http://www.hs.state.az.us/plan/2001ahs/source01.pdf</a>. Age-specific and cause-specific mortality profiles are based on information collected on death certificates filed with the Arizona Department of Health Services, Office of Vital Records. The data for National are from "Deaths: Final Data for 2000," National Vital Statistics Reports, Volume 50, Number 15, September 16, 2002, Hyattsville, Maryland, National Center for Health Statistics. Population denominators for Arizona residents, used to calculate rates, are census enumerations for 2000 from the U.S. Census Bureau. Additional information on deaths to Arizona residents is available online at <a href="http://www.hs.state.az.us/plan/">http://www.hs.state.az.us/plan/</a>.

2000 Page 6 of 8

	<b>Huachuca City</b>	COCHISE	ARIZONA	NATIONAL
DEATH MEASURES Continued	-			
25-34	0	11	887	40,451
35-44	2	37	1,666	89,798
45-54	2	67	2,755	160,341
55-64	3	142	4,030	240,846
65-74	15	239	7,733	441,209
75-84	9	307	11,871	700,445
85+	2	233	9,719	658,171
Mortality rates by age groups per 100,000 p	persons:			
1-4		31.8	36.7	32.9
5-14		17.1	20.7	18.7
15-24		85.3	91.7	81.6
25-34		78.7	119.4	108.1
35-44	746.3	222.9	216.7	200.0
45-54	763.4	435.8	438.8	431.6
55-64	1,775.1	1,137.6	911.0	1,004.6
65-74	10,791.4	2,346.1	2,125.4	2,428.6
75-84	12,676.1	5,414.5	5,041.3	5,688.4
85+	16,666.7	15,450.9	14,183.1	15,321.5
INFECTIOUS DISEASES (cases of) 9				
Vaccine Preventable Diseases	<3	<3	137	2,356
Hepatitis A/Shigellosis	<3	13	1,042	12,521
Sexually Transmitted Diseases	<3	143	18,067	331,905
HIV/AIDS	<3	<3	788	12,725
Food Borne Diseases	<3	23	1,492	25,557
Tuberculosis	<3	6	261	3,729
CANCER (new cases of) 10				
Breast Cancer	<5	59	3,204	184,200
Cervical Cancer	0	<5	168	12,800
Colorectal Cancer		47	2,378	130,200
Lung Cancer	<5	71	2,984	164,100
Prostate Cancer		65	2,538	180,400
IMMUNIZATION 11			•	•
Immunized 2 yr olds	65.2 %	62.7 %	71.3 %	74.2 %
	omparable	NA - Not Available		

<sup>&</sup>lt;sup>9</sup> Vaccine preventable diseases include the number of reported cases of measles, mumps, diphtheria, tetanus, rubella, congenital rubella, pertussis, polio and Haemophilus influenzae type b. Sexually Transmitted Diseases include cases of chlamydia, gonorrhea and syphilis. For HIV/AIDS, if the number of reported cases is between 0 and 3 then, then the count will show as <3. Food borne diseases include campylobacteriosis, cryptosporidiosis, E. coli O157:H7, listeriosis, paratyphoid, typhoid fever, salmonellosis, vibriosis and yersiniosis. For Tuberculosis, if the number of reported cases is between 0 and 3, then the count will show as <3. All cases must meet the CSTE/CDC Case Definitions for Public Health Surveillance. Arizona Department of Health Services (ADHS), Bureau of Epidemiology and Disease Control, Cases reported in the calendar year 2000. National, Vaccine Preventable Diseases include measles, mumps, rubella, pertussis, and Haemophilus influenzae type b, AIDS Cases, Food Borne Diseases include salmonellosis, shigellosis, listeriosis, cryptosporidiosis and E. coli, Centers for Disease Control and Prevention (CDC) MMWR Summary Report for 2000.

2000 Page 7 of 8

<sup>10</sup> Cancer cases: ADHS, Arizona Cancer Registry, 2000. National, CDC MMWR Summary Report for 2000.

<sup>11</sup> Immunization, percent of 2000 Census 2 year old children immunized 4 DTP/DTap, 3 Polio, 1 MMR, 3 HIB (4-3-1-3), ADHS, Arizona State Immunization System; State and National, percent of 2 year old children immunized 4-3-1-3, 2000 National Immunization Survey, CDC.

Hu	achuca City	COCHISE	ARIZONA	NATIONAL
ORAL HEALTH 12				
Untreated Tooth Decay (6-8 year olds)	39.0 %	46.0 %	41.0 %	29.0 %
Tooth Decay Experience (6-8 year olds)	61.0 %	64.0 %	62.0 %	52.0 %
Urgent Treatment Needs (6-8 year olds)	10.0 %	8.0 %	9.0 %	NA
Sealants Present (8 year olds)	5.0 %	17.0 %	28.0 %	23.0 %
BEHAVIORAL RISK FACTORS 13				
Alcohol Abuse (Binge Drinking)	NA	NA	NA	3.8 %
Alcohol Abuse (Chronic Drinking)	NA	NA	NA	1.0 %
Drinking and Driving	NA	NA	NA	0.8 %
Believe Medium/High Chance of Getting HIV	NA	NA	4.9 %	7.0 %
Ever tested for HIV	NA	NA	59.7 %	51.2 %
Ever told have Diabetes	NA	NA	5.9 %	6.4 %
Ever told have High Blood Pressure	NA	NA	NA	25.1 %
Less than 5 Fruits and Vegetables per Day	NA	NA	63.1 %	74.0 %
Never had a Mammogram and Breast Exam	NA	NA	11.1 %	7.3 %
No Mammogram within the past 2 years	NA	NA	9.9 %	15.1 %
No Pap Test within the past 3 years	NA	NA	8.5 %	11.6 %
No Leisure Time Physical Activity	NA	NA	34.1 %	27.2 %
No Cholesterol Check within 5 years	NA	NA	NA	29.7 %
No Blood Pressure Check within 2 years	NA	NA	NA	0.5 %
Obesity	NA	NA	18.1 %	19.5 %
Tobacco Use (Adults)	NA	NA	18.5 %	22.2 %
Would Not Encourage Teen Condom Use	NA	NA	1.8 %	2.1 %
HOSPITALIZATIONS 14				
Asthma	171.3	77.3	99.3	NA
Diabetes	.0	148.6	132.8	NA
Heart Attack	.0	184.3	214.3	NA
Stroke	.0	41.6	38.4	NA
Traumatic Brain Injury	3	76	4,615	NA
SUMMARY MEASURES OF HEALTH 15				
Average age at death	68.3	72.2	71.6	NA
Premature Mortality	67.6 %	55.1 %	51.6 %	NA
Self-rated health status as Fair or Poor	NA NA	NA NA	14.8 %	15.5 %
Avg No. of Unhealthy Days in Past Month	NA	NA	10.7 %	9.9 %
NC - Not Compar		NA - Not Available	, 0	0.0 70

<sup>12</sup> Oral Health, ADHS, Arizona School Dental Survey, "Every Tooth Counts," 1999-2003, Children in public schools in grades Kindergarten through Third Grade. "Urgent" means children with pain and/or infection requiring treatment within a 24-hour period. Sealants Present on at least one permanent molar. County data based on a probability sample by community and therefore may not be representative of the county as a whole. National data, National Center for Health Statistics. National Health and Nutrition Examination Survey III 1988-1994. Hyattsville, MD: Centers for Disease Control and Prevention (CDC), unpublished data.

2000 Page 8 of 8

<sup>13</sup> Behavioral Risk Factors, percent of respondents in the affirmative. Data is available by National, state, regional levels, and Maricopa and Pima counties, Arizona Department of Health Services, Office of Epidemiology and Statistics, 2000.

<sup>14</sup> Asthma, Diabetes, Heart Attack, Stroke hospitalizations per 100,000 residents, year 2000, Arizona Department of Health Services, Bureau of Public Health Statistics, Hospital Discharge Registry. Traumatic Brain Injury, number of incident cases identified from Arizona Department of Health Services Hospital Discharge data for 1999, unduplicated and excluding emergency department and federal hospital discharges.

<sup>15</sup> Premature Mortality, percent of deaths occurring before the U.S. birth life expectancy for 2000 (76.9 years for all U.S. residents in 2000), Arizona Department of Health Services, Office of Vital Records. Self-rated health status from the Behavioral Risk Factors Survey on a scale of Excellent, Very Good, Good, Fair, or Poor, year 2000, Arizona Department of Health Services, Office of Epidemiology and Statistics. Average number of unhealthy days in the past month, Centers for Disease Control and Prevention, 2000.